•	Application No.	Applicant(s)	
Notice of Allowability	10/811,963	KAWAJI ET AL.	(M)
	Examiner	Art Unit	T (-
	Patrick Miller	2837	
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS nerewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Report the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED i) or other appropriate comm IGHTS. This application is	in this application. If not include nunication will be mailed in due	ed course. THIS
1. This communication is responsive to <u>09/13/05</u> .			
2. X The allowed claim(s) is/are <u>1,2 and 4-10</u> .			
3. Acknowledgment is made of a claim for foreign priority use a) All b) □ Some* c) □ None of the: 1. □ Certified copies of the priority documents have 2. □ Certified copies of the priority documents have 3. □ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: □	e been received. e been received in Application occuments have been received of this communication to file MENT of this application.	on No ed in this national stage applicate e a reply complying with the rec CAMINER'S AMENDMENT or N	quirements
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) ☐ including changes required by the Notice of Draftspers	son's Patent Drawing Revie	ew (PTO-948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date	<u>.</u>		
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in (I.84(c)) should be written on t the header according to 37 C	the drawings in the front (not the FR 1.121(d).	е раск) от
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MAT FOR THE DEPOSIT OF BI	ERIAL must be submitted. NIOLOGICAL MATERIAL.	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/I Paper No./Mail Date 09132005 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview S Paper No 08), 7. ☐ Examiner's	nformal Patent Application (PTC Summary (PTO-413), ./Mail Date s Amendment/Comment s Statement of Reasons for Allo	
		MARLONT FLE	TCHER MINER

Application/Control Number: 10/811,963 Page 2

Art Unit: 2837

DETAILED ACTION

Allowable Subject Matter

1. Claims 1, 2, and 4-10 are allowed.

- 2. The following is an examiner's statement of reasons for allowance:
 - With respect to claims 1 and 10, the primary reason for allowance is because neither the references listed in the IDS filed on 09/13/05 nor other Prior Art discloses a system with the limitations of claims 1 and 10, respectively, and where the PN voltage corrector sets a predetermined maximum value of the PN voltage correction factor as the PN voltage correction factor when the DC voltage detection value is zero or less.
- 3. Therefore, based on the arguments and amendments presented by the Applicant, the Examiner acknowledges the Prior Art fails to make obvious the Applicant's claimed invention.
- 4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2837

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick Miller whose telephone number is 571-272-2070. The examiner can normally be reached on M-F, 8:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin can be reached on 571-272-2800 ext 41. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9318.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-306-3431.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patrick Miller Examiner

Potes mile

Art Unit 2837

pm

September 26, 2005

MARLON RELEPCHER